

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-50 (Cancelled)

51. (Original) A method of producing a prophylactic device, comprising:

providing a form for a casting including a portion configured to produce a panty casting and a portion configured to produce a pouch casting, wherein the panty casting includes a crotch portion, and wherein the pouch casting is disposed on the crotch portion of the panty casting;

dipping the form into a first coagulant until the pouch casting portion and the panty casting portion are submerged in the first coagulant;

dipping the form into a second coagulant until the pouch casting portion is submerged in the second coagulant;

dipping the form into latex a first time until the pouch casting portion and the panty casting portion are submerged in the latex;

dipping the form into the latex a second time until the pouch casting portion is submerged in the latex; and

removing the casting from the form.

- 52. (Original) The method of claim 51, further comprising, after the step of dipping the form into a first coagulant, removing the form from the first coagulant and subjecting the form to a drying process.
- 53. (Original) The method of claim 51, further comprising, after the step of dipping the form into a second coagulant, removing the form from the second coagulant and subjecting the form to a drying process.

- 54. (Original) The method of claim 51, further comprising, after the step of dipping the form into latex a first time, removing the form from the latex and subjecting the form to a drying process.
- 55. (Original) The method of claim 51, further comprising, after the step of dipping the form into the latex a second time, removing the form from the coagulant and subjecting the form to a drying process.
- 56. (Original) The method of claim 51, further comprising subjecting the form to a leaching process.
- 57. (Original) The method of claim 51, further comprising subjecting the form to a curing process.
- 58. (Original) The method of claim 51, further comprising depositing powder on an exterior portion of the casting.
- 59. (Original) The method of claim 51, further comprising introducing powder into an interior portion of the casting.
- 60. (Original) The method of claim 51, wherein the first coagulant and the second coagulant comprise a liquid.
- 61. (Original) The method of claim 51, wherein the latex comprises a liquid.
- 62. (Original) The method of claim 51, wherein the first coagulant and the second coagulant are formulated to promote adherence of the latex.
- 63. (Original) The method of claim 56, wherein the leaching process includes dipping the form into water.

- 64. (Original) The method of claim 51, wherein the form includes a plurality of depressions disposed on the portion of the form configured to produce a panty casting, and wherein the depressions are configured to receive a flow of latex when the form is dipped so that a plurality of raised protrusions are formed on the panty casting.
- 65-72 (Cancelled)
- 73. (New) The method of claim 51, wherein the first coagulant is a heavy wall coagulant.
- 74. (New) The method of claim 51, wherein the second coagulant is a light wall coagulant.